

BENDING IRONS AND ROD HOLDERS

Bending irons and rod holders are essential tools for shaping and positioning orthopedic rods during surgery. Our instruments provide strong grip and precise control, allowing surgeons to contour rods accurately without compromising their integrity. Made from durable surgical-grade materials, they ensure stability, comfort, and reliability throughout complex procedures.



UNIVERSAL ROD BENDER



CODE #	DESCRIPTION
AW46664	11-1/4" (28.5 cm)

ONE-HANDED ROD BENDER

For 3 mm and 4 mm diameter rods



CODE #	DESCRIPTION
AW49812	7-1/2" (19 cm)

IN SITU ROD BENDERS

Used in pairs, 13" (33 cm)



CODE #	DESCRIPTION
AW49780	Right, bends 3/16" (4.76 mm) rods
AW49781	Left, bends 3/16" (4.76 mm) rods
AW49782 R	Right, bends 1/4" (6.35 mm) rods
AW49783	Left, bends 1/4" (6.35 mm) rods

ROD HOLDERS

With ratchet, 7-1/4" (18.5 cm).



CODE #	DESCRIPTION
AW49830	Holds 5/32" (4.0 mm) rods
AW49831	Holds 3/16" (4.76 mm) rods
AW49832	Holds 1/4" (6.35 mm) rods

ROD HOLDERS

Curved tip, with ratchet, 8-1/4" (21 cm)



CODE #	DESCRIPTION
AW49701	Threaded hole, holds 5/32" (4.0 mm) rods
AW49702	Threaded hole, holds .177" (4.5 mm) rods
AW49706	Without threaded hole, holds .197" (5.0 mm) rods

MINI PLATE BENDING IRON

For mini and finger plates



CODE #	DESCRIPTION
AW47917	4-3/4"

ROD HOLDER

With ratchet, 10" (25.5 cm)



CODE #	DESCRIPTION
AW49850	Holds 1/4" (6.35 mm) rods, threaded hole
AW49848	Prism holds 0.197" (5 mm) and 5.5 mm rods

SMALL PLATE BENDING IRONS

Used in pairs. For 3.5 mm and 2.7 mm plates.




CODE #	DESCRIPTION
AW47916	5-1/2" (14 cm)
AW47915	5-1/2" (14 cm)

STANDARD PLATE BENDING IRON



CODE #	DESCRIPTION
AW47918	For standard plates, with 4 holes.

PLATE BENDING IRON




CODE #	DESCRIPTION
AW47919	For 3.5 mm and 4.5 mm plates

BENDING IRONS



CODE #	DESCRIPTION
AW45501	For 0.8 - 1.25 mm K-Wires, 4-1/2" (11.5 cm)
AW45502	For 1.25, 1.6 and 2 mm K-Wires, 4-3/4" (12 cm)

PLATE HOLDING CLIPS



CODE #	DESCRIPTION
AW47962	2.0 mm
AW47963	2.7 mm
AW47964	3.5 mm